




Economic Aluminum Ladder 普通铝梯



EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017



Max
150KGS



Item No.	Step	A	B	N.W	20GP	40HQ
E107	7	202 cm	38 cm	3.0kg	465	1210
E108	8	230 cm	38 cm	3.4kg	410	1060
E109	9	258 cm	38 cm	3.8kg	360	940
E110	10	286 cm	38 cm	4.3kg	325	840
E111	11	314 cm	38 cm	4.7kg	295	765
E112	12	342 cm	38 cm	5.3kg	270	700
E113	13	370 cm	38 cm	5.5kg	255	660
E114	14	398 cm	38 cm	5.8kg	235	610
E115	15	426 cm	38 cm	6.1kg	220	570


Economic 2-parts Extension Ladder



EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017



Max
150KGS



Item No.	Step	A	B	C	D	E	N.W	20GP	40HQ
E207	2x7	190 cm	189 cm	310 cm	40 cm	45.5 cm	7.1 kg	200	525
E208	2x8	218 cm	215 cm	370 cm	40 cm	45.5 cm	7.9 kg	175	455
E209	2x9	246 cm	242 cm	420 cm	40 cm	45.5 cm	8.7 kg	155	400
E210	2x10	274 cm	268 cm	480 cm	40 cm	45.5 cm	9.6 kg	140	370
E211	2x11	302 cm	295 cm	500 cm	40 cm	45.5 cm	10.4 kg	130	335
E212	2x12	330 cm	312 cm	560 cm	40 cm	45.5 cm	11.5 kg	120	300
E213	2x13	358 cm	342 cm	625 cm	40 cm	45.5 cm	12.1 kg	105	270
E214	2x14	386 cm	373 cm	676 cm	40 cm	45.5 cm	12.9 kg	95	250

Economic 3-parts Ladder




EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017



HOME PRODUCTS

**Max
150KGS**





Item No.	Step	A	B	C	D	E	F	G / H / I	N.W	20GP	40HQ
E307	3X7	200cm	189cm	304cm	123cm	297cm	425cm	340/410/470MM	10.3 kg	228	540
E308	3X8	228cm	220cm	368cm	146cm	950cm	509cm	340/410/470MM	11.5 kg	205	460
E309	3X9	256cm	242cm	423cm	165cm	402cm	593cm	340/410/470MM	12.6 kg	160	410
E310	3X10	284cm	268cm	480cm	184cm	429cm	676cm	340/410/470MM	14.1 kg	160	360
E311	3X11	312cm	294cm	535cm	200cm	483cm	760cm	340/410/470MM	15.1 kg	70	240
E312	3X12	340cm	320cm	592cm	220cm	535cm	850cm	340/410/470MM	16.2 kg	60	200

Hobby Aluminum Ladder European Standard



Item No.	Step	A	B	C	Thickness	Step height	N.W	Pack Size	20GP	40HQ
GS1128	10	280 cm	40 cm	36 cm	1.4mm	28 cm	4.7 kg	282X41X6.5 cm	320	840
GS1139F	14	390 cm	40 cm	36 cm	1.4mm	28 cm	7.9 kg	392X41X6.5 cm	235	610

Hobby Combination Ladder 2-parts European Standard



Item No.	Step	A	B	C	D	Thickness	N.W	Pack Size	20GP	40HQ
1239	2X9	255 cm	390 cm	40 cm	45.5 cm	1.4 mm	9 kg	257X41X12 cm	180	470
1259	2X12	339 cm	590 cm	40 cm	45.5 cm	1.4 mm	12 kg	340X41X12 cm	140	360
1269	2X14	395 cm	690 cm	40 cm	45.5 cm	1.5+1.7 mm	13.8 kg	395X41X12 cm	115	305
1279	2X16	451 cm	790 cm	40 cm	45.5 cm	1.5+1.7 mm	17.2 kg	452X41X12 cm	100	265
GS1239F	2X9	255 cm	390 cm	40 cm	45.5 cm	1.5+1.7 mm	11.4 kg	257X41X12 cm	180	470
GS1259F	2X12	339 cm	590 cm	40 cm	45.5 cm	1.7+2.0 mm	14.8 kg	340X41X12 cm	140	360

Hobby Combination Ladder 3-parts European Standard




EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017




HOME PRODUCTS

Max
150KGS





Item No.	Step	A	B	C	D	E	F	G / H / I	N.W	20GP	40HQ
E307	3X7	200cm	189cm	304cm	123cm	297cm	425cm	340/410/470MM	11.1 kg	228	540
E308	3X8	228cm	220cm	368cm	146cm	950cm	509cm	340/410/470MM	12.4 kg	205	460
E309	3X9	256cm	242cm	423cm	165cm	402cm	593cm	340/410/470MM	13.8 kg	160	410
E310	3X10	284cm	268cm	480cm	184cm	429cm	676cm	340/410/470MM	15.1 kg	160	360
E311	3X11	312cm	294cm	535cm	200cm	483cm	760cm	340/410/470MM	16.4 kg	70	240
E312	3X12	340cm	320cm	592cm	220cm	535cm	850cm	340/410/470MM	17.7 kg	60	200

LUX 5000 Profession



Item No.	Step	A	B	C	Step height	N.W	Pack Size (cm)	20GP	40HQ
GS5120	7	204 cm	44 cm	39.5 cm	28 cm	3.9 kg	204X46X22/4PCS	520	1345
GS5127	9	274 cm	44 cm	39.5 cm	28 cm	5.2 kg	274X46X22/4PCS	390	1000
GS5130	10	299 cm	44 cm	39.5 cm	28 cm	5.5 kg	304X46X22/4PCS	350	910
GS5140	14	404 cm	44 cm	39.5 cm	28 cm	10.1 kg	404X46X25/4PCS	265	690
GS5150	17	504 cm	44 cm	39.5 cm	28 cm	15.4 kg	504X46X25/4PCS	215	555
GS5160	20	604 cm	44 cm	39.5 cm	28 cm	18.1 kg	604X46X25/4PCS	180	465

5 Series Ladder 2-parts European Standard



Item No.	Step	A	B	C	D	N.W	Pack Size	20GP	40HQ
GS5230	2X7	198 cm	300 cm	42 cm	48.3 cm	8.2 kg	198X49X14 cm	215	555
GS5240	2X8	250 cm	400 cm	42 cm	48.3 cm	10.7 kg	250X49X14 cm	170	440
GS5250	2X10	299 cm	500 cm	42 cm	48.3 cm	12.9 kg	299X49X14 cm	120	315
GS5260	2X12	347 cm	600 cm	42 cm	48.3 cm	18.1 kg	347X49X14 cm	120	315
GS5270	2X14	397 cm	700 cm	42 cm	48.3 cm	20.5 kg	397X49X14 cm	105	275
GS5280	2X15	447 cm	800 cm	42 cm	48.3 cm	27.7 kg	447X49X14 cm	95	245
GS5290	2X17	497 cm	900 cm	42 cm	48.3 cm	30.7 kg	497X49X14 cm	85	220
GS5299	2X19	548 cm	1000 cm	42 cm	48.3 cm	33.7 kg	548X49X14 cm	75	200

Steel Ladder



Item No.	Steps	A	B	C	Platform Size	Weight
GS2022	2	47 cm	57 cm	48 cm	26X38 cm	5.1 kg
2023	3	47 cm	67 cm	72 cm	26X38 cm	7 kg


Hobby Ladder Scaffold



EN 131



Max
150KGS



Item No.	Step	A	B	C	D	E	F	N.W	Pack Size (cm)	20GP	40HQ
H06	2X6	167.5cm	157.5cm	248cm	160cm	35cm	40.5cm	15.3kg	175X45X20	155	400
H07	2X7	207.5cm	182.5cm	302cm	160cm	35cm	40.5cm	16.3kg	220X45X20	125	330

Hobby Folding Ladder




EN 131



HOME PRODUCTS

Max
150KGS




Item No.	Step	A	B	C	Step height	Width	N.W	20GP	40HQ
0250	2X5	151 cm	144 cm	293 cm	28 cm	38 cm	5.7kg	320	830
0260	2X6	179 cm	171 cm	349 cm	28 cm	38 cm	6.6kg	270	700
0270	2X7	207 cm	198 cm	405 cm	28 cm	38 cm	7.2kg	230	605
0280	2X8	235 cm	225 cm	461 cm	28 cm	38 cm	8.0kg	205	530

Multi-purpose Ladder



Item No.	Step	A	B	C	D	Width	N.W	Pack Size	20GP	40HQ
402	4X2	66 cm	55 cm	114 cm	269 cm	37 cm	10 kg	74X28X38 cm	320	825
403	4X3	93 cm	92 cm	170 cm	350 cm	37 cm	13.5 kg	105X28X38 cm	225	580
404	4X4	120 cm	117 cm	220 cm	431 cm	37 cm	15 kg	130X28X38 cm	180	470
GS403	4X3	93 cm	92 cm	170 cm	350 cm	37 cm	17.4 kg	105X28X38 cm	225	580
GS404	4X4	120 cm	117 cm	220 cm	431 cm	37 cm		130X28X38 cm	180	470


Single Ladder with Hooks



EN 131



**Max
150KGS**



Item No.	Step	A	B	Step Height	N.W	20GP	40HQ
SSH108	8	212 cm	37 cm	28 cm	3.6 kg	520	1345
SSH111	11	312 cm	37 cm	28 cm	5.0 kg	350	915

Slow-Down Telescopic Ladder



TÜVRheinland
CERTIFIED

Max
150KGS

HOME PRODUCTS

PROFFESIONAL



One Grip Slow-Down



Item No.	Extension Length	Folded length	Step Height	Packing Size	N.W	20GP	40HQ
020260	260 cm	74 cm	30 cm	48X8.5X80cm	8 kg	888	2099
030320	320 cm	80 cm	30 cm	50X9.5X84.5cm	10.6 kg	695	1641
560380	380 cm	86 cm	30 cm	54X9.5X90cm	13.6 kg	628	1484

Telescopic Ladder



Item No.	Extension Length	Folded length	Step Height	Packing Size	N.W	20GP	40HQ
260260	260 cm	74 cm	30 cm	48X9X80cm	8 kg	839	1982
260320	320 cm	80 cm	30 cm	48X9X85cm	10.4 kg	790	1865
030380	380 cm	86 cm	30 cm	49.5X9X91cm	13.3 kg	715	1690

Rope Ladder

Rope Ladder

Easy and easy tough for eg. escape. Aluminum step and catch of PP-band. The ladder is designed to always be 80mm from the wall. Unlocked with a simple grip. Clear

Maximum load 450 kg.


3-20m

Space between treads=33.3cm




Item No.	Length	Width	N.W	Packing size
4780	478 cm	30.5 cm	5.2 kg	39X39X30 cm
7500	750 cm	30.5 cm	8.7 kg	39X50X30 cm
1050	1050 cm	30.5 cm	12.3 kg	39X50X40 cm
2000	2000cm	30.5 cm	19.5kg	39X50X40 cm

Rescue Ladder



Bolt set DX-7101





Item No.	Folding Height	Open Height	N.W	Packing size
7010	120 cm	150 cm	2.3kg	7X15X120cm/2pcs/pack
7021	210 cm	240 cm	4.5kg	7X15X210cm/2pcs/pack
7039	390 cm	420 cm	8.5kg	7X15X390cm/2pcs/pack
7048	480 cm	510 cm	10.4kg	7X15X480cm/2pcs/pack
7060	600 cm	630 cm	12.3kg	7X15X600cm/2pcs/pack

Household Ladder



EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017

Colour Your Life!
Order Your Colour!




Item No.	Steps	A	B	C	D	E	Step height	N.W	Packing Size	20GP	40HQ
A103	3	64 cm	124 cm	65 cm	41.5 cm	132 cm	22 cm	2.85kg	132X42X13cm	350	900
A104	4	85 cm	145 cm	80 cm	44 cm	155 cm	22 cm	3.25kg	155X45X13cm	295	770
A105	5	106 cm	166 cm	95 cm	47 cm	178 cm	22 cm	3.8kg	178X47X13cm	260	670
A106	6	128 cm	188 cm	104 cm	49.5 cm	199 cm	22 cm	4.54kg	199X50X13cm	230	600
A107	7	149 cm	209 cm	117 cm	52.5 cm	222 cm	22 cm	5kg	222X53X13cm	206	535
A108	8	170 cm	230 cm	131 cm	54.5 cm	246 cm	22 cm	5.67kg	246X56X13cm	185	485

Household Ladder



EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017

**Colour Your Life!
Order Your Colour!**




Item No.	Steps	A	B	C	D	E	Step height	N.W	Packing Size	20GP	40HQ
SS503	3	62 cm	123 cm	67 cm	42 cm	132 cm	23 cm	3.6 kg	132X42X13 cm	430	900
SS504	4	85 cm	146 cm	84 cm	44 cm	158 cm	23 cm	4.2 kg	158X45X13 cm	295	770
SS505	5	106 cm	169 cm	98 cm	47 cm	181 cm	23 cm	4.9 kg	181X47X13 cm	260	670
SS506	6	128 cm	188 cm	112 cm	50 cm	200 cm	23 cm	5.7 kg	200X50X13 cm	230	600

Household Stool



EN 14183

Order your colour!



Item No.	A	B	C	Step Height	N.W	Packing Size	20GP	40HQ
H122	48cm	36.5 cm	41 cm	21 cm	1.9kg	48X38X18 cm	760	1980
H123	62cm	40.5 cm	62.5 cm	21 cm	2.6kg	69X41X18 cm	530	1380
H124	77cm	43.5 cm	83.5 cm	21 cm	3.53kg	92X47X18 cm	400	1035

Stepstool with PP Tools Tray




EN131-1:2015/EN131-3:2018
EN131-2:2010+A2:2017

Topplate size : 30*25




**Max
150KGS**



Item No.	Steps	A	B	C	D	E	N.W	20GP	40HQ
H203	3	64 cm	120 cm	71 cm	42 cm	130 cm	3.84 kg	350	915
H204	4	84 cm	142 cm	86 cm	45 cm	153 cm	4.42 kg	300	780
H205	5	106 cm	163 cm	100 cm	47 cm	175 cm	4.99 kg	260	680
H206	6	126 cm	183 cm	115 cm	50 cm	196 cm	5.75 kg	235	610
H207	7	148 cm	204 cm	129 cm	53 cm	218 cm	6.39 kg	210	545
H208	8	170 cm	226 cm	145 cm	56 cm	242 cm	7.04 kg	190	495

Professional Step Ladder European Standard 5600 Series




Item No.	Steps	A	B	C	D	E	N.W	20GP	40HQ
66103	3	70 cm	139 cm	74 cm	47 cm	147 cm	6.2 kg	265	688
56104	4	95 cm	165 cm	91 cm	50 cm	174 cm	7.1 kg	220	571
56105	5	120 cm	191 cm	108 cm	53 cm	201 cm	8.0 kg	190	488
56106	6	145 cm	216 cm	127 cm	56 cm	228 cm	9.3 kg	165	430
66107	7	170 cm	242 cm	145 cm	59 cm	255 cm	10.4 kg	145	380
56108	8	195 cm	268 cm	164 cm	62 cm	282 cm	11.5 kg	130	345
56110	10	245 cm	320 cm	197 cm	68 cm	336 cm	14.1 kg	110	285
56112	12	295 cm	372 cm	230 cm	74 cm	390 cm	16.5 kg	95	240

Harmony and Signal Series Step Ladder 9200 Series




Aluminum tools tray and plastic tools tray for choosing!
Plastic colour : Orange ,Blue, Black
Choose Your Aluminum Colour!



Item No.	Steps	A	B	C	D	E	N.W	20GP	40HQ
92303	3	70 cm	139 cm	74 cm	47 cm	147 cm	6.4 kg	240	625
92304	4	95 cm	165 cm	91 cm	50 cm	174 cm	7.35 kg	205	530
92305	5	120 cm	191 cm	108 cm	53 cm	201 cm	8.35 kg	150	385
92306	6	145 cm	216 cm	127 cm	56 cm	228 cm	9.7 kg	155	405
92307	7	170 cm	242 cm	145 cm	59 cm	255 cm	10.75 kg	140	360
92308	8	195 cm	268 cm	164 cm	62 cm	282 cm	11.95 kg	125	325
92310	10	245 cm	320 cm	197 cm	68 cm	336 cm	17.4 kg	105	275
92311	11	270 cm	346 cm	215 cm	71 cm	363 cm	18.8 kg	100	255

Harmony and Signal series stepstool ladder

9200 Series





Plastic colour : Orange ,Blue, Black
Choose Your Aluminum Colour!





Item No.	Steps	Platform Size	A	B	C	Step Height	2PS/CTN	N.W	20GP	40HQ
2422	2X2	40X30 cm	65 cm	57 cm	47 cm	25 cm	57X46X57 cm	4.2kg	310	805
2423	2X3	40X30 cm	83 cm	65 cm	73 cm	25 cm	66X46X84 cm	5.9kg	185	490
2424	2X4	40X30 cm	100 cm	75 cm	99 cm	25 cm	110X75X46 cm	7.5kg	130	330
2622	2X2	60X30 cm	65 cm	75 cm	47 cm	25 cm	77X46X57 cm	5.1kg	235	605
2623	2X3	60X30 cm	83 cm	85 cm	73 cm	25 cm	85X46X84 cm	7.1kg	140	370
2624	2X4	60X30 cm	100 cm	94 cm	99 cm	25 cm	110X95X46 cm	9.2kg	100	260

Professional Step Ladder With Soft Steps 8000 Series



Item No.	Steps	A	B	C	D	E	N.W	20GP	40HQ
82203	3	70 cm	137 cm	74 cm	49 cm	147 cm	6.1 kg	225	580
82204	4	92 cm	163 cm	94 cm	52 cm	174 cm	7.2 kg	185	485
82205	5	120 cm	189 cm	110 cm	55 cm	201 cm	8.1 kg	160	410
82206	6	145 cm	214 cm	129 cm	58 cm	228 cm	9.6 kg	135	350
82207	7	170 cm	240 cm	147 cm	61 cm	255 cm	10.6 kg	120	305
82208	8	195 cm	266 cm	165 cm	64 cm	282 cm	11.9 kg	105	270
82210	10	245 cm	318 cm	197 cm	70 cm	336 cm	14.3 kg	80	210
82212	12	295 cm	370 cm	230 cm	76 cm	390 cm	16.7 kg	65	170

Two Sides Ladder 8000 Series




Item No.	A	B	C	D	E	F	Packing Size	N.W
82022	47 cm	40 cm	46 cm	49 cm	19 cm	26.5 cm	43X18X52 cm	3.2 kg
82033	72 cm	40 cm	49 cm	67 cm	19 cm	26.5 cm	45X18X76 cm	4.7 kg
82044	98 cm	40 cm	52 cm	85 cm	19 cm	26.5 cm	47X18X100 cm	6.2 kg
82055	123 cm	40 cm	55 cm	103 cm	19 cm	26.5 cm	49X18X124 cm	7.7 kg
82066	148 cm	40 cm	58 cm	121 cm	19 cm	26.5 cm	51X18X148 cm	9.2 kg
82077	173 cm	40 cm	61 cm	139 cm	19 cm	26.5 cm	53X18X172 cm	10.7 kg
82088	198 cm	40 cm	64 cm	157 cm	19 cm	26.5 cm	55X18X196 cm	12.2 kg

Stepstool 8200 Series



DX-9000: 60cm Safety Rail For Stool



- Features:
- Installation with no tools design
 - Extra large non-slip rungs for comfort and safety
 - Floor protection & Anti-slip contoured feet fitted
 - Folds flat for carry & storage

Item No.	Step	Platform Size	A	B	C	N.W	20GP	40HQ
8242	2X2	40X31cm	68 cm	53 cm	47 cm	4.7 kg	230	595
8243	2X3	40X31cm	84 cm	59 cm	70 cm	6.1 kg	150	395
8244	2X4	40X31cm	100 cm	65 cm	93 cm	7.8 kg	110	290
8262	2X2	60X31cm	68 cm	73 cm	47 cm	5.7 kg	285	740
8263	2X3	60X31cm	84 cm	79 cm	70 cm	7.6 kg	285	740
8264	2X4	60X31cm	100 cm	85 cm	93 cm	9.6 kg	220	570

Professional Sepstool

9600 Series



Item No.	Step	Platform Size	A	B	C	N.W	Packing Size	20GP	40HQ
96402	2X2	40X30 cm	68 cm	57 cm	49 cm	6.4 kg	59X53X61 cm	230	595
96403	2X3	40X30 cm	84 cm	65 cm	74 cm	8.1 kg	86X68X53 cm	150	395
96404	2X4	40X30 cm	102 cm	74 cm	98 cm	10.3 kg	110X75X53 cm	110	290
96602	2X2	60X30 cm	68 cm	77 cm	49 cm	7.4 kg	79X53X61 cm	285	740
96603	2X3	60X30 cm	84 cm	85 cm	74 cm	9.7 kg	86X88X53 cm	285	740
96604	2X4	60X30 cm	102 cm	94 cm	98 cm	12.1 kg	110X95X53 cm	220	570

Metal Saw Horse Working Platform



Item No.	Length	Height	Width	N.W	Packing Size	20GP	40HQ
2040	78 cm	65-90 cm	40.5 cm	7.8kg	80X40X14cm/2pcs/carton	560	1450




EN 14183




Item No.	Platform Length	Height	Platform Width	Open Size	N.W
9002	90 cm	50 cm	30 cm	124X37.5X50cm	3.8kg

Aluminum Dock Ladder



Item No.	Working height	Width	Step height	Packing Size	N.W
2014	80 cm	53 cm	24 cm	113X11.5X59 cm	10.9kg
2016	124 cm	53 cm	24 cm	162.5X11.5X59 cm	14.7kg

Iron Dock Ladder



Item No.	Working height	Width	Step height	Packing Size	N.W/G.W
3014	80 cm	53 cm	24 cm	113X11.5X59 cm	18.3/20.18kg
3016	124 cm	53 cm	24 cm	162.5X11.5X59 cm	23.1/25.95kg
3003		53 cm	24 cm	90X11.5X30 cm	8.5kg

Professional Mini Scaffolding



EN 1004

Mini Folding Scaffold 74cm x 120cm

19-2-DX1200 Mini folding scaffold with a flat 60 cm and 4 wheels

19-2-DX1210 Platform wide 60 x 90 cm Mini folding scaffold

19-2-DX2015 Platform narrow 30 x 90 cm for Mini folding scaffolding



Professional Folding Scaffolding

L: 1800mm



EN 1004



2001A



2001B



2001R



2002A



2002B



2002C



2003



2003A

Item No.	2001A	2001B	2001R	2002A	2002B	2002C	2003	2003A
Width mm	740	740	740	740	740	740	740	740
Length mm	1800	1800	1800	1800	1800	1800	1800	1800
Height mm	1550	2550	1000	1800	1800	2800	1960	2960

Professional Folding Scaffolding

L: 2500mm



EN 1004



2004A



2004



2005



2004R




2005R


Item No.	2004	2004A	2004R	2005	2005R
Width mm	740	740	740	1350	1350
Length mm	2500	2500	2500	2500	2500
Height mm	1800	1960	1000	1800	1000

Hobby Scaffolding Special Solution

EN 1004




①




②

Produced according to the standard.



Description	Item No.
Pack 1 Basic section	2-1001
Pack 2	2-1002
Pack 3	2-1003
Pack 4	2-1004
Pack 5	2-1005




③



④



⑤




⑥

Special Solution



Hobby Scaffolding

EN 1004



	Pack 1	Pack 1+2	Pack 1+2+3	Pack 1+2+3+4
Item No.	2-1001	2-1001+2	2-1001+2+3	2-1001+2+3+4
Working height	3.65 m	3.65 m	5.61 m	7.57 m
Platform height	1.65 m	1.65 m	3.61 m	5.57 m
Scaffolding height	1.65 m	2.70 m	4.66 m	6.62 m
Base frame	72.5x180 cm	72.5x180 cm	72.5x180 cm	72.5x180 cm
Platform size	60x180 cm	60x180 cm	60x180 cm	60x180 cm
Net weight	24 kg	32 kg	48 kg	70 kg



Basic Frame 165 x 72.5cm m / 125mm wheel	1			
Guardrail Frame 100x72.5cm		2		
Guardrail Brace double 180cm		2		2
Building Frame 200 x 72.5cm			2	2
Diagonal Brace 216cm			2	2
Plating with hatch 180x60cm	1			1
Aluminum Toeboard			1	
Horizontal Brace			1	



Aluminum platform



Tested by TUV
EN 12811-1-2003
Class 6



Thickness:3mm





Item No.	Length outside	Length inside	Platform Size	Height mm	Width mm	N.W kg	Suit for tube
121050	1130	1050	965	85	230	4.8	Ø33.7-50mm
121250	1330	1250	1165	85	230	5.4	Ø33.7-50mm
121655	1735	1655	1570	85	230	6.5	Ø33.7-50mm
121964	2044	1964	1879	85	230	7.3	Ø33.7-50mm
122500	2580	2500	2415	85	230	8.9	Ø33.7-50mm
123050	3130	3050	2965	85	230	10.35	Ø33.7-50mm

3mm Aluminum platform





Tested by TUV Shanghai
EN 12811-1-2003 Class 6



Item No.	A	B	C	Height	Thickness	N.W kg	Suit for tube
131020	1310mm	198mm	1250mm	85mm	3mm	3.10	Ø33.7-50mm
131040	1310mm	398mm	1250mm	85mm	3mm	4.30	Ø33.7-50mm
131060	1310mm	596mm	1250mm	85mm	3mm	9.25	Ø33.7-50mm

Building Step

Tested by TUV Shanghai
EN 12811-1-2003 Class 6



Item No.	A	B	C	Thickness	N.W kg	Suit for tube
140800	800 mm	250 mm	200 mm	3 mm	2.8 kg	Ø33.7-50 mm
140900	900 mm	250 mm	200 mm	3 mm	2.9 kg	Ø33.7-50 mm
141000	1000 mm	250 mm	200 mm	3 mm	3.0 kg	Ø33.7-50 mm
141200	1200 mm	250 mm	200 mm	3 mm	3.2 kg	Ø33.7-50 mm

Transport Boxes



Item No.	Description	Lenght	Width	Height	N.W	G.W
MS26-20029	Alukasse MS29 liter	44 cm	28.5 cm	34 cm	3.2 kg	3.8 kg
MS26-20042	Alukasse MS47 liter	59 cm	28.5 cm	39 cm	4.0 kg	4.5 kg
MS26-20073	Alukasse MS76 liter	60 cm	42 cm	39.3 cm	5.1 kg	6.2 kg
MS26-20091	Alukasse MS91 liter	80 cm	38.5 cm	39 cm	6.29 kg	8.3 kg
MS26-20140	Alukasse MS140 liter	91 cm	38.5 cm	50 cm	7.84 kg	10.4 kg
MS26-200157	Alukasse MS157 liter	79 cm	42 cm	59 cm	8.02 kg	10.6 kg
MS26-200153	Alukasse MS153 liter	119 cm	42 cm	39 cm	8.88 kg	11.5 kg
MS26-200185	Alukasse MS185 liter	91 cm	42 cm	59 cm	8.78 kg	11.3 kg
MS26-200240	Alukasse MS240 liter	79 cm	63 cm	59 cm	9.41 kg	10.4 kg
MS26-200415	Alukasse MS415 liter	119 cm	52 cm	80 cm	14.8 kg	16 kg

Transport boxes

TRANSPORT BOXES

SET 3 PCS.

3 pieces of transport boxes of 47L, 80L and 133L liters with 1mm thickness.
A single box without stacking corners. With waterproof craft.



Set med 3 Peces boxes

Item no.	1100S
Antall liter	47L+80L+133L



Item no.	947	880	133
Inner size	485x385x265	690x450x320	800x540x365
Outer size	455x355x235	660x420x290	900x410x335
Volume Liter	47	80	133
Net Weight	4.0	5.0	6.8

Wheelset

4 stk

Item no.	11004
----------	-------



Transport boxes



POWERFUL INDUSTRIAL TRANSPORT CASE IN 2 MM ALUMINUM

Supplied with waterproof craft and the 5 largest with gas damper in the lid



Item no.	Description	Carton(size)	N.W
F0070	Transport box F-70 in alu.70L without gas struts	522x375x415 cm	7.4kg
F0120	Transport box F-120 in alu.70L without gas struts	622x425x515 cm	10.2kg
F0234	Transport box F-234 in alu.70L without gas struts	722x525x645 cm	15.3kg
G0250	Transport box G-250 in alu.70L without gas struts	1022x525x515 cm	16.5kg
G0312	Transport box G-312 in alu.70L without gas struts	1270x525x515 cm	19.1kg
G0375	Transport box G-375 in alu.70L without gas struts	1522x525x515 cm	22.9kg
G0470	Transport box G-470 in alu.70L without gas struts	1896x525x515 cm	26.7kg

Anchor Steel Scaffolding Net



Diameter: 48.3 mm

5 Standardfarver: rød, orange, gul, grøn og blå Fås i alle farver

Standardlængde: 1 m

Item No.	Description
9030	Veggfeste 30cm 48,3mm PVC
06060	Veggfeste 60cm 48,3mm PVC
09090	Veggfeste 90cm 48,3mm PVC
9120	Veggfeste 120cm 48,3mm PVC



Leno 180G:
Nett med plast 180g
3.2 x 36m =115.2 m²



V-100:
Virgin 100% material with flame retardant,
70gsm with buttonhole for the sides
Size: 3.07mX50m Blue.

Handcrafts tent



HANDCRAFTS TENT

Comes with our logo, but can also be delivered with your company logo.

Available in black and gray.

Can be ordered in other colors.

Item No.	Handcraft standard light gray,without wall
503350	Handcraft Solid 3X6M 50X1.8MM Cloth 600g
503360	Handcraft Solid 4x8m 50x1,8mm Cloth 600g
Item No.	Handcraft standard black,without walls
503350S	Handcraft Solid 3X6M 50X1.8MM Cloth 600g
503360S	Handcraft Solid 4x8m 50x1,8mm Cloth 600g
Item No.	Optional equipment, walls
501000	3m side wall w / door
501001	3m side wall w / window
501002	3m side wall
506000	6m side wall w/door
506001	6m side wall w/window
506002	6m side wall

Bottom and side supports



UNDER SUPPORT

A good aid for fixing walls, tearing up walls, molding, etc.

SIDE SUPPORT MAX 3000KG

Item No.	Height cm	Weight kg
38S	2.10-3.60	15.5

UNDER SUPPORT MAX 3000KG

Item No.	Height cm	Weight kg
D0011750	1.75-3.12	12.6
D0022590	2.59-3.95	15.6

UNDER SUPPORT HOLDER

Item No.	Height cm	Bottom diameter cm	Weight kg
D0128	23.0X14.5	17.0X8.5	7.0

Climb the Ladder

Work Stilts

Great for use in roofing, painting jobs, washing, decorations, etc.

The styles have adjustable heel plates and adjustable legs

For a more natural time, they are equipped with a damping system

Made of aluminum and is black varnished

Max weight 113.5kg



Item No.	Max working height	Height cm	Measurement	Weight kg
PC1523	238-258	38-58	315X190X560	6.8
PC1830	246-276	46-76	315X190X665	7.2
PC2440	261-301	61-101	315X190X765	8.0

Scaffold Accessories



A001: Connections to scaffold, 48.3mm



A1500: Lock clips for 50mm pipe



B008050: Bolt for couplings, 8X50mm

B008165: Bolt for couplings, 12X165mm



B107082: 100 øyebolter ø8x50 total 82 mm m/nøkkel for drill



B107165: 100 øyebolter ø8x130 total 165 mm m/nøkkel for drill



F1922: Screw wrench 19/22 mm for scaffolding



A001: Adjustable foot for alu scaffold 300mm

A002B: Adjustable foot for alu scaffold 600mm

A002N: Adjustable foot for alu scaffold 800mm

A00100: Adjustable foot for alu scaffold 1000mm



D0011750: Support 1750–3120mm straight

D0022590: Support 2590–3950mm straight

G001A: Crib for support



131060: Plattform 1310 x60mm Vekt 7,46

Scaffold Accessories



- N09030: Wall mounts for alu scaffid 30mm
- N09060: Wall mounts for alu scaffid 60mm
- N09100: Wall mounts for alu scaffid 100mm



- B011914: Adjustable foot with tilt 914mm



- B0090600: Simple wall mount w / clamp 600mm
- B0091000: Simple wall mount w / clamp 1000mm



- G018: Rekkverksklemme for rettkant



- A086: Clamp for building



1181

- 1182-203: Stillashjul 203x50mm lengde 38x500mm
- 5122-100: Plattformhjul med brems 100x32. 135



G7



- Warning Board: Size:335*150*5mm
- Printing and Design same as sampleMaterial:Plastic

Accessories



-3444



-NR41



-7104



PL3440



-4015



Roof ladder hooks



22-1200-213

Accessories



NR35



NR36



Pad



4001



4000



4050



4060



Stabilizer bar
4010



Stabilizer with crampon